



PRICE LIST

TECHNICAL INSULATION
VALID FROM 1ST APRIL 2025
BENELUX

INDUSTRIAL APPLICATIONS



PAROC[®]

TABLE OF CONTENTS

Contact Us	3
------------------	---

PAROC® products for industrial applications

Pipe Sections

PAROC® Pro Section (WR) 100	6
PAROC® Pro Section (WR) 100 AluCoat	6
PAROC® Pro Section (WR) 120	8
PAROC® Pro Section (WR) 120 AluCoat	8
PAROC® Pro Section (WR) 140	9
PAROC® Pro Section (WR) 140 AluCoat	9
PAROC® Pro Section (WR) DL 100	11
PAROC® Pro Section (WR) DL 120	11
PAROC® Pro Section (WR) DL 140	12
PAROC® Pro Section (WR) DL1	12
PAROC® Pro Curve (WR) 100	13
PAROC® Pro Curve (WR) 120	13
PAROC® Pro Curve (WR) 140	13
PAROC® Pro Lock (WR) 100	14
PAROC® Pro Lock (WR) 140	15

Bends and Segments

PAROC® Pro Segment (WR) 100	16
PAROC® Pro Segment (WR) 120	17
PAROC® Pro Segment (WR) 140	17
PAROC® Pro Segment (WR) DL 100	18
PAROC® Pro Segment (WR) DL 120	18
PAROC® Pro Segment (WR) DL 140	19
PAROC® Pro Segment (WR) DL1	19
PAROC® Pro Bend (WR) 100	20
PAROC® Pro Bend (WR) 120	21
PAROC® Pro Bend (WR) 140	21

Lamella Mats

PAROC® Pro Lamella Mat (WR) AluCoat	22
PAROC® Pro Lamella Mat (WR) 80 AluCoat	23

Wired Mats

PAROC® Pro Wired Mat (WR) 550	24
PAROC® Pro Wired Mat (WR) 550 AL1	24
PAROC® Pro Wired Mat (WR) 660	25
PAROC® Pro Wired Mat (WR) 660 AL1	26
PAROC® Pro Wired Mat (WR) 660 AluCoat	26
PAROC® Pro Wired Mat LE 80	26
PAROC® Pro Wired Mat LE 80 Comfort	26
PAROC® Pro Wired Mat (WR) 680	27
PAROC® Pro Wired Mat (WR) 680 AL1	27
PAROC® Pro Wired Mat (WR) 680 AluCoat	27
PAROC® Pro Wired Mat LE 100	28
PAROC® Pro Wired Mat LE 100 Comfort	28
PAROC® Pro Wired Mat (WR) 700 TH1	29
PAROC® Pro Wired Mat (WR) 700 AL1 TH1	29
PAROC® Wired Mat (WR) 700 AL1 TH1/AluCoat TH1	29

Slabs

PAROC® Pro Roof Slab (WR) 20 kPa	30
PAROC® Pro Roof Slab (WR) 50 kPa	31
PAROC® Pro Roof Slab 80 kPa	32
PAROC® Pro Slab (WR) 350	33
PAROC® Pro Slab (WR) 350 AluCoat	33
PAROC® Pro Slab (WR) 450	34
PAROC® Pro Slab (WR) 450 AluCoat	34
PAROC® Pro Slab (WR) 640	35
PAROC® Pro Slab (WR) 640 AluCoat	35
PAROC® Pro Slab (WR) 660	36
PAROC® Pro Slab (WR) 660 AluCoat	36
PAROC® Pro Slab (WR) 680	37
PAROC® Pro Slab (WR) 680 AluCoat	37
PAROC® Pro Slab (WR) 700	38
PAROC® Pro Slab (WR) 700 AluCoat	38

Mats

PAROC® Pro Mat (WR) 350	39
PAROC® Pro Mat (WR) 350 AluCoat	39
PAROC® Pro Mat (WR) 640	40
PAROC® Pro Mat (WR) 640 AluCoat	40
PAROC® Pro Mat (WR) 660	41
PAROC® Pro Mat (WR) 660 AluCoat	41
PAROC® Pro Loose Mat (WR) 600	42
PAROC® Pro Loose Mat (WR) 660	43
PAROC® Pro Loose Wool	44

Clad System

PAROC® Pro Section (WR) 140 Clad T	45
PAROC® Pro Combi (WR) 140 Clad T	45
PAROC® Pro Bend (WR) 140 Clad	46
PAROC® Pro Segment (WR) 140 Clad	46
PAROC® Pro Lamella Mat (WR) Clad	47
PAROC® Clad Dots	48
PAROC® Clad Tape	48
PAROC® Clad Alu Tape	48
PAROC® Pro Duct Wedge (WR)	48

(WR) = water-repellent version available without surcharge (article numbers refer to non-WR version)



PAROC PRO

products for industrial applications are tested according to both ASTM and EN standards

Quick access: Click on the desired product or content page to immediately navigate to it.
Clicking on 'Table of Contents' will direct you back to the index page.
Hyperlinks will take you to relevant additional pages or research sources.

CONTACT US

Sales Lead

Rob Langendam

Tel. +31(0)6 5129 2020

Rob.langendam@owenscorning.com

ask your local sales representative for updated terms and conditions



Paroc Headquarter



Paroc Production / Branch



Paroc Sales Office



Paroc Sales Representative



INTERNATIONAL CONTACTS

Segment Manager Industry

Rune Hagensen

rune.hagensen@owenscorning.com

Technical Support

Craig Treanor

craig.treanor@owenscorning.com

Marketing Manager Industry

Claudia Beling

claudia.beling@owenscorning.com


PAROC PRODUCTS FOR INDUSTRIAL APPLICATIONS



EXPLANATION OF SYMBOLS

TECHNICAL SPECIFICATIONS


Melting point




Non-combustible



Maximum service temperature




Nominal density




DIMENSIONS


Thickness




Width




Length




Inner diameter



Insulation thickness



Section length



ADDITIONAL INFORMATION

Data sheet

Accessories

Installation video

Packing details

Dimension Guide

Installation manual

Product in stock

	11.11	123456	

Water-repellent version
available without surcharge

(WR)

Article numbers refer to
non-WR version

PIPE SECTIONS






PAROC® PRO SECTION WR 100

PAROC® PRO SECTION 100

PAROC® PRO SECTION WR 100 ALU COAT

PAROC® PRO SECTION 100 ALU COAT

Concentric, dimensionally accurate stone wool pipe sections,
in one or two segments, slotted on one side



Nominal insulation thickness, mm										
Inner diameter mm	25	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	5.65	7.90								
22	6.45	8.35	12.75	15.85	22.90	25.70	34.85	43.10		
28	7.30	8.85	13.15	17.50	23.85	27.75	36.50	44.90		
35	7.90	9.20	13.60	18.30	25.95	31.65	42.70	52.25	65.25	
42	8.35	10.20	15.10	19.55	29.00	32.75	43.85	54.95	66.35	
48	8.90	10.90	15.90	20.85	29.20	37.40	46.90	59.05		
54	9.50	11.10	17.15	21.00	29.30	38.65	47.40	59.60	70.85	
57	9.80	12.15	17.80	22.60	29.80	39.05	47.80	60.75		
60	10.20	12.40	17.85	23.15	30.20	39.20	49.30	64.50	73.45	103.15
64	11.20	13.25	20.45	24.40	32.35	42.10	52.95	66.30	76.55	107.15
70	11.55	14.75	20.65	25.25	36.00	42.20	53.25	66.50	78.55	109.50
76	12.00	14.80	20.80	26.50	36.40	42.70	53.25	68.65	80.85	112.35
89	13.40	17.15	22.90	29.00	38.75	47.95	58.50	77.65	85.15	117.50
102	15.90	19.90	24.60	31.45	43.15	54.05	63.45	80.55	88.05	118.40
108	16.25	20.55	26.95	33.25	44.40	54.70	63.65	81.60	91.65	120.60
114	16.55	20.90	27.65	33.25	44.80	55.55	65.75	86.70	92.20	123.55
121	18.60	22.50	29.50	35.15	45.90	57.65	66.00	86.85	94.70	123.90



Please email to Rob.langendam@owenscorning.com



PIPE SECTIONS


PAROC® PRO SECTION WR 100

PAROC® PRO SECTION 100

PAROC® PRO SECTION WR 100 ALU COAT

PAROC® PRO SECTION 100 ALU COAT

Concentric, dimensionally accurate stone wool pipe sections,
in one or two segments, slotted on one side



Inner diameter mm	Nominal insulation thickness, mm									
	25	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
127	18.90	23.25	29.95	36.95	48.35	63.05	72.05	89.85	95.00	124.00
133	22.20	24.70	31.05	37.00	50.30	63.80	72.70	91.60	102.25	124.55
140	23.90	24.90	34.60	38.50	50.40	64.70	73.20	92.05	102.80	125.95
159	26.00	29.05	37.45	46.15	58.40	70.80	80.85	94.70	104.80	131.70
168	28.65	30.90	38.75	48.75	62.30	74.15	88.35	107.60	114.00	142.95
194		35.30	46.45	53.85	66.40	83.45	97.05	108.50	124.60	
208		38.80	47.30	57.30	71.60	84.55	98.05	109.85	127.00	158.10
219		43.40	47.60	58.00	72.40	91.40	99.75	110.60	127.80	163.00
230		45.25	54.25	63.60	81.00	93.00	101.35	113.85	132.15	165.00
245		51.85	57.95	65.80	81.60	99.65	111.60	115.75	144.60	178.40
259		53.00	59.70	67.00	85.40	100.05	111.90	120.55	144.80	181.65
273		57.60	61.00	69.80	88.05	108.45	120.70	120.85	145.50	191.40
305		62.60	70.20	77.45	100.50	122.00	135.85	152.45	155.90	202.65
324		66.15	78.50	81.95	101.85	122.80	140.15	167.20	169.40	212.85
356		71.10	88.40	98.45	112.85	135.45	164.90	188.65	204.00	248.60
371		73.90	91.80	106.90	116.90	137.65	170.20	190.85	205.05	249.35
406			98.35	110.80	139.00	143.10	174.80	200.65	211.85	279.75
457			107.25	123.80	153.00	167.20	202.85	211.30	247.70	285.85
508			117.25	135.30	169.80	183.70	213.60	231.10	260.60	310.65
558			126.50	145.95	161.80	194.20	228.60	253.90	288.35	324.10
612			135.70	160.40	191.45	216.25	253.65	273.65	289.80	357.50
714			154.60	183.30	216.25	241.85	279.35	297.35	326.60	386.20
762					230.30	257.40	297.00	328.60	346.75	409.40
813					244.60	273.10	315.80	359.20	377.20	462.60



Please email to Rob.langendam@owenscorning.com



PIPE SECTIONS

PAROC® PRO SECTION WR 120

PAROC® PRO SECTION 120







PAROC® PRO SECTION WR 120 ALUCOAT

PAROC® PRO SECTION 120 ALUCOAT

Concentric, dimensionally accurate stone wool pipe sections,
in one or two segments, slotted on one side



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.Jangendam@owenscorning.com

PIPE SECTIONS








PAROC® PRO SECTION WR 140

PAROC® PRO SECTION 140

PAROC® PRO SECTION WR 140 ALUCOAT

PAROC® PRO SECTION 140 ALUCOAT

PAROC® Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Nominal insulation thickness, mm										
Inner diameter mm	25	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	8.50	12.00								
22	9.70	12.80	19.45	24.25	35.05	40.35	53.30	65.95		
28	11.20	13.55	20.10	26.85	36.45	42.45	55.95	68.75		
35	12.05	14.10	20.85	27.95	39.70	48.50	65.30	79.90	77.90	
42	12.80	15.60	23.05	29.95	44.35	50.10	67.00	84.10		
48	13.70	16.70	24.25	31.75	44.60	57.20	71.75	90.35		
54	14.55	16.75	26.25	33.30	44.90	59.10	72.45	91.25	108.40	
57	15.05	18.75	27.20	34.65	45.55	59.65	73.10	93.05		
60	15.55	18.85	29.25	35.70	46.20	60.05	75.55	98.70	112.45	157.85
64	17.10	20.35	31.25	37.35	49.45	64.40	78.05	101.35	117.15	164.00
70	17.75	22.50	31.45	38.65	55.05	64.65	81.45	101.85	120.25	167.60
76	18.30	22.55	31.75	40.50	55.70	65.30	81.55	104.90	123.60	171.90
89	20.45	26.05	34.95	44.35	59.20	73.40	89.40	118.75	130.20	179.70
102	24.30	30.45	37.65	48.05	68.00	82.65	97.10	123.25	134.70	181.10
108	24.80	31.55	41.35	50.85	68.65	83.70	97.75	124.95	140.20	184.45
114	25.35	32.00	44.45	50.85	69.75	84.90	100.65	132.55	141.05	189.05
121	28.55	34.50	46.15	53.85	70.20	88.10	101.00	132.80	144.85	189.50



Please email to Rob.langendam@owenscorning.com



PIPE SECTIONS

PAROC® PRO SECTION WR 140

PAROC® PRO SECTION 140

PAROC® PRO SECTION WR 140 ALUCOAT

PAROC® PRO SECTION 140 ALUCOAT

PAROC® Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods

Inner diameter mm	Nominal insulation thickness, mm									
	25	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
127	28.95	35.65	47.25	56.60	73.95	96.60	110.25	137.50	145.20	189.65
133	33.95	37.80	47.50	56.60	77.05	97.60	111.25	140.15	156.60	190.65
140	36.50	38.15	54.55	59.00	77.10	99.00	111.90	140.85	157.30	192.75
159	39.75	44.40	57.30	70.55	87.35	108.25	123.60	144.85	160.35	201.50
168	41.70	44.95	62.30	70.90	90.65	116.35	129.65	156.60	166.05	208.20
194		50.65	67.50	78.45	96.65	121.55	133.80	158.05	181.40	226.20
208		56.40	69.35	83.45	104.20	123.05	142.85	159.85	184.95	
219		63.10	69.40	84.55	105.50	133.10	145.30	161.10	186.15	237.30
230		65.95	78.95	92.60	118.05	135.50	147.60	165.80	192.55	240.30
245		75.50	84.50	95.85	118.90	145.15	162.50	168.50	210.55	259.80
259		77.15	87.00	97.50	124.00	145.60	163.00	175.50	210.90	264.55
273		83.80	88.95	101.70	128.10	157.95	175.85	176.05	211.95	278.65
305		91.05	102.15	112.80	145.20	177.70	197.85	222.00	242.45	294.95
324		96.45	112.45	122.05	148.35	178.85	204.00	243.55	246.65	310.00
356		103.55	128.85	143.50	164.35	197.25	240.25	274.70	297.20	362.05
371		107.65	133.70	155.65	170.20	200.50	248.40	278.00	298.60	363.05
406			143.25	161.30	202.40	208.30	254.50	292.25	308.50	407.35
457			156.35	180.35	222.85	243.55	295.30	307.70	360.70	416.35
508			170.75	197.05	247.25	267.50	311.05	336.45	379.55	452.35
558			184.25	212.55	266.65	282.90	332.95	369.75	419.90	471.90
612			197.60	233.55	278.65	314.70	369.35	398.45	421.95	520.60
714			225.20	266.90	315.00	352.20	406.75	433.10	475.65	562.35
762					335.35	374.75	432.40	478.50	504.90	596.15
813					356.15	397.75	459.90	523.20	549.35	673.60










Please email to Rob.langendam@owenscorning.com



PIPE SECTIONS

PAROC® PRO SECTION (WR) DL 100

Stonewool pipe section in two layers for industrial pipelines



Watch our video
on energy efficiency with
PAROC® Pro Sections!









Need prices? Please email to Rob.langendam@owenscorning.com

PIPE SECTIONS

PAROC® PRO SECTION (WR) DL 120

Stonewool pipe section in two layers for industrial pipelines



Need prices? Please email to Rob.langendam@owenscorning.com







PIPE SECTIONS

PAROC® PRO SECTION (WR) DL 140

PAROC® Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.Jangendam@owenscorning.com







PIPE SECTIONS

PAROC® PRO SECTION (WR) DL1

Stonewool pipe section in 2 layers for industrial pipe lines



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.Jangendam@owenscorning.com


PIPE SECTIONS

PAROC® PRO CURVE (WR) 100
PAROC® PRO CURVE (WR) 120
PAROC® PRO CURVE (WR) 140



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods


PAROC® Pro Section WR 120 is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present




~1000 °C



NON-COMBUSTIBLE




640/680 °C



100/120/140 kg/m³



114 - 914 mm



30 - 120 mm

Watch our video
on energy efficiency with
PAROC® Pro Sections!



MARKET LEADING
WATER REPELLENCY



WR 100 WR 120 WR 140

Need prices? Please email to Rob.langendam@owenscorning.com






PIPE SECTIONS

PAROC® PRO LOCK (WR) 100

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Nominal insulation thickness, mm				
Inner diameter mm	80	90	100	120
	€/m	€/m	€/m	€/m
219	111.45	123.45	142.70	182.00
230	113.15	127.10	147.60	184.25
245	124.60	129.20	161.45	199.20
259	125.00	134.60	161.70	202.85
273	134.80	134.90	162.45	213.60
305	151.75	170.25	179.15	226.20
324	156.45	186.65	189.15	237.65
356	184.25	210.60	227.80	277.60
371	190.05	213.15	228.90	278.40
406	195.15	224.05	236.55	312.30
457	226.45	235.90	276.55	319.15
508	238.45	258.05	291.00	346.80
558	255.25	283.50	321.90	361.85
612	283.15	305.55	323.55	399.15
714	311.85	332.00	364.70	431.15
762	331.60	366.90	387.10	457.05
813	352.60	401.10	421.20	516.45



Please email to Rob.langendam@owenscorning.com









PIPE SECTIONS

PAROC® PRO LOCK (WR) 140

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



- PAROC® Pro Knife XTK001/003
- PAROC® CUI Spacers
- PAROC® Galvanized Wire
- PAROC® Pallet Hoods



Nominal insulation thickness, mm				
Inner diameter mm	80	90	100	120
	€/m	€/m	€/m	€/m
219	167.10	185.30	214.05	272.90
230	169.80	190.70	221.45	276.30
245	186.95	193.85	242.05	298.70
259	187.40	201.90	242.55	304.25
273	202.20	202.40	243.65	320.45
305	227.60	255.35	278.75	339.25
324	234.60	280.05	283.65	356.50
356	276.30	315.90	341.70	416.35
371	285.65	319.70	343.35	417.60
406	292.65	336.05	354.80	468.45
457	339.70	353.90	414.75	478.75
508	357.70	386.95	436.45	520.15
558	382.85	425.25	482.90	542.85
612	424.70	458.35	485.30	598.80
714	467.80	498.05	547.00	646.75
762	497.35	550.30	580.65	685.50
813	528.80	601.60	631.65	774.70



Please email to Rob.langendam@owenscorning.com








BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) 100

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Nominal insulation thickness, mm								
Inner diameter mm	40	50	60	70	80	90	100	120
	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
121	33.65	39.45	51.50	64.65	74.10	97.45	106.20	139.00
127	34.85	41.45	54.25	70.85	80.85	100.85	106.55	139.10
133	38.75	41.50	56.50	71.60	81.55	102.80	115.60	139.80
140	42.00	43.25	56.60	72.60	82.15	103.35	115.30	141.35
159	49.30	51.80	65.65	79.40	90.65	106.20	117.60	147.70
168	60.35	53.50	68.45	93.60	97.20	118.30	125.40	157.25
194	60.40	69.95	86.30	108.45	126.05	141.15	161.95	201.95
208	61.95	75.85	95.00	112.15	130.10	145.55	168.30	204.90
219	70.50	78.60	99.45	118.85	130.50	146.70	170.20	211.85
230	86.95	82.60	105.40	121.00	131.75	148.00	171.80	214.45
245	89.60	98.70	122.45	149.45	167.45	173.55	216.85	267.55
259	91.55	100.50	128.05	150.00	167.90	180.90	217.25	272.55
273	95.35	104.70	132.05	162.70	181.10	181.30	218.25	287.00
305	118.35	131.70	170.80	207.40	231.10	259.15	276.45	344.40
324	125.15	139.30	173.15	208.75	238.15	284.25	287.90	361.85
356		167.45	191.80	230.20	280.45	320.60	346.90	422.65
371		192.40	210.40	247.75	286.85	343.65	369.05	448.80
406		199.40	250.15	257.55	314.55	361.20	381.25	503.45
457		222.90	275.40	301.00	365.00	380.40	445.80	514.60
508		257.05	322.60	349.10	405.85	439.05	495.10	590.10
558		277.25	347.85	369.10	434.35	482.35	547.75	615.75
612		304.70	363.55	410.85	481.85	519.95	550.55	679.30
714		348.20	410.90	459.60	530.70	565.10	620.55	733.70
762			437.50	488.95	564.20	624.30	658.80	777.70
813			464.60	518.95	599.95	682.50	716.70	878.90



Please email to Rob.langendam@owenscorning.com








BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) 120

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.langendam@owenscorning.com





BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) 140

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.langendam@owenscorning.com





BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) DL 100

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.Langendam@owenscorning.com





BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) DL 120

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.Langendam@owenscorning.com






BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) DL 140

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Need prices? Please email to Rob.langendam@owenscorning.com






BENDS AND SEGMENTS

PAROC® PRO SEGMENT (WR) DL1

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers
PAROC® Galvanized Wire
PAROC® Pallet Hoods








Need prices? Please email to Rob.langendam@owenscorning.com

BENDS AND SEGMENTS

PAROC® PRO BEND (WR) 100

Prefabricated insulation component made of stonewool

Available also with AluCoat facing



Nominal insulation thickness, mm								
Inner diameter mm	30	40	50	60	70	80	90	100
	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
22	6.00	9.05	11.35	16.40	18.45	24.85		
28	6.30	9.40	12.55	17.00	19.80	26.05		
35	6.65	9.70	13.05	18.55	22.60	30.45	42.60	
42	8.35	12.25	15.95	23.65	26.75	35.75	44.90	
48	8.90	12.90	17.00	23.85	30.55	38.30	48.15	
54	9.05	13.95	17.20	23.95	31.45	38.65	48.65	
57	10.00	14.55	18.50	24.25	31.40	39.05	49.60	
60	10.05	15.85	19.55	24.60	32.05	40.35	52.60	60.00
64	10.80	16.60	19.90	26.35	34.40	43.20	54.05	62.45
70	12.00	16.75	20.65	29.35	34.45	43.45	54.35	64.10
76	12.05	17.00	21.65	29.75	34.85	43.45	56.00	65.95
89	13.95	18.65	23.65	31.60	39.15	47.75	63.40	
102	20.25	25.05	32.15	44.05	55.20	64.70		
108	20.95	27.55	33.80	45.25	55.85	64.95		
114	21.25	33.00	33.90	45.60	56.70	67.10		



Please email to Rob.langendam@owenscorning.com








BENDS AND SEGMENTS

PAROC® PRO BEND (WR) 120

Prefabricated insulation component made of stonewool

Available also with AluCoat facing







Need prices? Please email to Rob.langendam@owenscorning.com

BENDS AND SEGMENTS

PAROC® PRO BEND (WR) 140

Prefabricated insulation component made of stonewool

Available also with AluCoat facing



Need prices? Please email to Rob.langendam@owenscorning.com







LAMELLA MATS

PAROC® PRO LAMELLA MAT (WR) ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



PAROC® AluCoat Tape
PAROC® Hvac Dots
PAROC® Head Pins Insulated
PAROC® Spatula
PAROC® Welding Device
PAROC® Knives XTK001/003
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Thickness	Length	m ² / Package	MOQ Pallet	Price
mm	mm			€/m ²
25	9000	9.00	2	20.05
30	8000	8.00	2	21.15
40	6000	6.00	2	22.50
50	5000	5.00	2	28.10
60	4000	4.00	4	33.05
70	3500	3.50	4	38.80
80	3000	3.00	4	45.15
100	2500	2.50	2	50.70
120	2400	2.40	4	59.85



Please email to Rob.langendam@owenscorning.com









LAMELLA MATS

PAROC® PRO LAMELLA MAT (WR) 80 ALUCOAT

Non-combustible stone wool insulation for thermal and condensation insulation of ventilation ducts and equipment. It has a reinforced aluminium foil facing



PAROC® AluCoat Tape
PAROC® Hvac Dots
PAROC® Head Pins Insulated
PAROC® Spatula
PAROC® Welding Device
PAROC® Knives XTK001/003
PAROC® Galvanized Wire
PAROC® Pallet Hoods



Thickness	Length	m ² / Package	MOQ Pallet	Price
mm	mm			€/m ²
30	6000	6.00	4	27.15
40	6000	6.00	4	30.60
50	4000	4.00	2	34.00
60	4000	4.00	4	40.60
70	3500	3.50	4	45.15
80	2500	2.50	4	54.50
100	2400	2.40	4	66.15



Please email to Rob.langendam@owenscorning.com



WIRED MATS







PAROC® PRO WIRED MAT (WR) 550

PAROC® PRO WIRED MAT (WR) 550 AL1

Stonewool wired mat with galvanized net. Available also with stainless steel net and/or sewing wire with water-repellent features



PAROC® Pro Cladding Support
PAROC® Head Pins
PAROC® Galvanized Wire
PAROC® Pallet Hoods



MARKET LEADING
WATER REPELLENCY

Thickness	Length	Width	Price						
mm	mm	mm	€/m ²	MOQ Pallet		€/m ²	MOQ Pallet	€/m ²	MOQ Pallet
			Plain	500 mm	1000 mm	AL1		W2	
30	8000	500/1000	20.80	4	4	22.45	4	34.80	4
40	6500	500/1000	22.60	4	4	24.35	4	36.85	4
50	5000	500/1000	24.90	2	4	30.55	4	38.85	4
60	4000	500/1000	29.70	4	4	35.15	4	43.70	4
70	3500	500/1000	33.70	4	4	39.20	4	47.75	4
80	3500	500/1000	37.05	2	4	42.60	4	51.15	4
90	3000	500/1000	41.05	4	4	46.75	4	55.30	4
100	2500	500/1000	44.55	2	4	50.20	4	58.70	4
120	2000	500/1000	50.90	4	4	56.40	4	64.80	4



Please email to Rob.langendam@owenscorning.com



WIRED MATS

PAROC® PRO WIRED MAT (WR) 660







PAROC® PRO WIRED MAT (WR) 660 AL1

PAROC® PRO WIRED MAT (WR) 660 ALUCOAT



PAROC® Pro Knife XTK001/003
PAROC® HT Tape
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



Thickness mm	Length mm	Width mm	Price					
			€/m ²	MOQ Pallet		€/m ²	MOQ Pallet	€/m ²
			Plain	500 mm	1000 mm	AL1		W2
30	8000	500/1000	22.45	4	4	27.65	4	36.55
40	6500	500/1000	24.45	4	4	29.65	4	38.55
50	5000	500/1000	26.90	4	2	32.10	4	41.15
60	4000	500/1000	32.10	4	2	37.05	4	46.10
70	3500	500/1000	36.35	4	4	43.50	4	52.55
80	3500	500/1000	39.95	4	2	44.65	4	53.80
90	3000	500/1000	44.35	4	4	49.55	4	58.40
100	2500	500/1000	48.05	4	2	52.45	4	61.60
120	2000	500/1000	54.90	4	4	59.15	4	67.80



Please email to Rob.langendam@owenscorning.com









WIRED MATS

PAROC® PRO WIRED MAT LE 80*

PAROC® PRO WIRED MAT LE 80 COMFORT*

Stonewool mat with wire thread quilting on galvanized wire mesh



*only available in certain markets

Need prices? Please email to Rob.Langendam@owenscorning.com

WIRED MATS

PAROC® PRO WIRED MAT (WR) 680







PAROC® PRO WIRED MAT WR 680 AL1

PAROC® PRO WIRED MAT WR 680 ALUCOAT



PAROC® Pro Knife XTK001/003
PAROC® HT Tape
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



Thickness	Length	Width	Price					
			€/m²	MOQ Pallet		€/m²	MOQ Pallet	
mm	mm	mm	Plain	500 mm	1000 mm	AL1	W2	500 mm
30	8000	500/1000	23.50	4	2	26.30	4	37.55
40	6500	500/1000	25.55	4	2	28.60	4	39.60
50	4500	500/1000	32.20	4	2	37.85	4	46.35
60	4000	500/1000	38.25	4	2	43.75	4	52.40
70	3500	500/1000	43.10	4	4	48.70	4	57.25
80	3500	500/1000	47.80	4	2	53.35	4	61.95
90	3000	500/1000	53.25	4	4	58.35	4	67.30
100	2500	500/1000	57.35	2	4	62.85	4	71.45
120	2000	500/1000	64.35	4	4	69.90	4	78.45



Please email to Rob.langendam@owenscorning.com



WIRED MATS







PAROC® PRO WIRED MAT LE 100*

PAROC® PRO WIRED MAT LE 100 COMFORT*

Stonewool mat with wire thread quilting on galvanized wire mesh



- PAROC® Pro Knife XTK001/003
- PAROC® HT Tape
- PAROC® Head Pins Insulated
- PAROC® Head Pins
- PAROC® Pro Cladding Support



*only available in certain markets

Need prices? Please email to Rob.Langendam@owenscorning.com








WIRED MATS

PAROC® PRO WIRED MAT (WR) 700 TH1

PAROC® PRO WIRED MAT (WR) 700 AL1 TH1

PAROC® WIRED MAT (WR) 700 AL1 TH1/ALUCOAT TH1

Stonewool mat with wire thread quilting on galvanized wire mesh



*not available in all markets

Thickness	Length	Width	Price			
			€/m ²	MOQ Pallet	€/m ²	MOQ Pallet
mm	mm	mm	Plain		AL1	
40	5000	500	37.15		43.05	
60	4000	500	47.65		54.35	
80	2500	500	68.35		74.85	
100	2000	500	80.85		86.65	



Please email to Rob.langendam@owenscorning.com



LOOKING FOR HIGHER TEMPERATURE RESISTANCE?

W2 - stainless steel wire mesh and thread; SW2 - galvanized wire mesh and stainless steel thread

PAROC® Pro Wired Mat 550 W2 and PAROC® Pro Wired Mat 550 SW2

PAROC® Pro Wired Mat 660 W2 and PAROC® Pro Wired Mat 660 SW2

PAROC® Pro Wired Mat 680 W2 and PAROC® Pro Wired Mat 680 SW2

PAROC® Pro Wired Mat 130 W2 and PAROC® Pro Wired Mat 130 SW2




SLABS

PAROC® PRO ROOF SLAB (WR) 20 kPa

Non-combustible stonewool slab



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins
PAROC® Welding Device



Need prices? Please email to Rob.Jangendam@owenscorning.com





SLABS

PAROC® PRO ROOF SLAB (WR) 50 kPa

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 50 kPa load during installation and maintenance



PAROC® Pro Knife XTK001/003
 PAROC® Palett Hoods
 PAROC® Head Pins
 PAROC® Welding Device



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	1200	600	3	18.80
40	1200	600	3	23.00
50	1200	600	3	28.75
60	1200	600	3	34.50
80	1200	600	3	45.95
100	1200	600	3	57.40
120	1200	600	3	68.90



Please email to Rob.langendam@owenscorning.com







SLABS

PAROC® PRO ROOF SLAB 80 kPa*

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 80 kPa load during installation and maintenance



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins
PAROC® Welding Device



Need prices? Please email to Rob.langendam@owenscorning.com

**only available in certain markets*






SLABS

PAROC® PRO SLAB (WR) 350
PAROC® PRO SLAB (WR) 350 ALUCOAT

Non-combustible stonewool insulation slab



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Welding Device
PAROC® AluCoat Tape
PAROC® HT Tape



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
40	1200	600	3	12.80
50	1200	600	1	13.25
60	1200	600	1	15.85
80	1200	600	1	21.10
100	1200	600	1	26.40
120	1200	600	3	31.70



Please email to Rob.langendam@owenscorning.com








SLABS

PAROC® PRO SLAB (WR) 450
PAROC® PRO SLAB (WR) 450 ALUGOAT

Non-combustible stonewool insulation slab



PAROC® Pro Knife XTK001/003
 PAROC® Palett Hoods
 PAROC® Head Pins Insulated
 PAROC® Head Pins
 PAROC® Welding Device
 PAROC® AluCoat Tape
 PAROC® HT Tape



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
				Plain
25	1200	600	9	12.50
30	1200	600	9	12.90
40	1200	600	8	17.20
50	1200	600	1	21.60
60	1200	600	8	25.80
70	1200	600	8	30.15
80	1200	600	8	34.35
100	1200	600	1	42.95



Please email to Rob.langendam@owenscorning.com








SLABS

PAROC® PRO SLAB (WR) 640
PAROC® PRO SLAB (WR) 640 ALUCOAT

Non-combustible stonewool insulation slab



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Welding Device
PAROC® AluCoat Tape
PAROC® HT Tape



*25 - 250 mm for AluCoat version



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	1200	600	6	15.00
40	1200	600	6	19.90
50	1200	600	1	24.90
60	1200	600	6	29.90
80	1200	600	1	39.90
100	1200	600	1	49.85



Please email to Rob.langendam@owenscorning.com








SLABS

PAROC® PRO SLAB (WR) 660
PAROC® PRO SLAB (WR) 660 ALUcoat

Non-combustible stonewool insulation slab



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Welding Device
PAROC® AluCoat Tape
PAROC® HT Tape



*25 - 210 mm for AluCoat version



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	1200	600	5	17.70
40	1200	600	5	23.50
50	1200	600	1	29.40
60	1200	600	5	35.20
80	1200	600	5	47.00
100	1200	600	1	58.80



Please email to Rob.langendam@owenscorning.com








SLABS

PAROC® PRO SLAB (WR) 680
PAROC® PRO SLAB (WR) 680 ALUCOAT

Non-combustible stonewool insulation slab



PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Welding Device
PAROC® AluCoat Tape
PAROC® HT Tape



*25 - 175 mm for AluCoat version



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
50	1200	600	4	38.40
80	1200	600	4	61.40
100	1200	600	1	76.70



Please email to Rob.langendam@owenscorning.com





SLABS

PAROC® PRO SLAB (WR) 700
PAROC® PRO SLAB (WR) 700 ALUCOAT

Non-combustible stonewool insulation slab




PAROC® Pro Knife XTK001/003
PAROC® Palett Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Welding Device
PAROC® AluCoat Tape
PAROC® HT Tape




~1000 °C




NON-COMBUSTIBLE



700 °C



150 kg/m³



20 - 140 mm*



600 mm



1200 mm

*25 - 140 mm for AluCoat version



MARKET LEADING
WATER REPELLENCY

Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
25	1200	600	4	21.90
30	1200	600	4	26.40
50	1200	600	4	43.80
80	1200	600	4	70.20
100	1200	600	4	87.75
120	1200	600	4	105.30



Please email to Rob.langendam@owenscorning.com







MATS

PAROC® PRO MAT (WR) 350
PAROC® PRO MAT (WR) 350 ALUCOAT

Non-combustible stone wool mat for industrial applications



PAROC® AluCoat Tape
 PAROC® Head Pins
 PAROC® Head Pins Insulated
 PAROC® Knives XTK001/003
 PAROC® Welding Device
 PAROC® Galvanized Wire
 PAROC® Pallet Hoods



Need prices? Please email to Rob.Langendam@owenscorning.com

MATS





PAROC® PRO MAT (WR) 640

PAROC® PRO MAT (WR) 640 ALUCOAT

Non-combustible stone wool mat for industrial applications



PAROC® AluCoat Tape
PAROC® Pallet Hoods
PAROC® Head Pins Insulated
PAROC® Head Pins
PAROC® Spatula
PAROC® Pro Knife
PAROC® HT Tape
PAROC® Pro Cladding Support



Thickness	Length	Width ¹	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	8000	500	5	20.15
40	6500	500	5	21.95
50	5000	500	5	24.15
60	4000	500	5	28.90
70	3500	500	5	32.70
80	3000	500	5	35.90
90	3000	500	5	39.85
100	2000	500	5	43.20
120	2000	500	5	49.45



Please email to Rob.langendam@owenscorning.com



¹also 1000 mm width available






MATS

PAROC® PRO MAT (WR) 660
PAROC® PRO MAT (WR) 660 ALUCOAT

Non-combustible stone wool mat for industrial applications



PAROC® AluCoat Tape
 PAROC® Head Pins
 PAROC® Head Pins Insulated
 PAROC® Knives XTK001/003
 PAROC® Welding Device
 PAROC® Galvanized Wire
 PAROC® Pallet Hoods



Thickness	Length	Width ¹	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	8000	500	4	21.10
40	6500	500	4	22.95
50	4500	500	4	28.95
60	4000	500	4	34.45
70	3500	500	4	38.80
80	3000	500	4	43.00
90	3000	500	4	47.85
100	2000	500	4	51.60
120	2000	500	4	57.85



Please email to Rob.langendam@owenscorning.com



¹also 1000 mm width available





MATS

PAROC® PRO LOOSE MAT (WR) 600

Stonewool mat with low binder content



- PAROC® Pro Knife XTK001/003
- PAROC® Welding Device
- PAROC® Pallet Hood
- PAROC® Head Pins
- PAROC® Galvanized Wire



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
40	6500	1000	6	18.25
50	5000	1000	6	20.15
60	4000	1000	6	24.05
80	3500	1000	6	30.00
100	2500	1000	6	36.05
120	2000	1000	6	41.25








Please email to Rob.langendam@owenscorning.com



MATS

PAROC® PRO LOOSE MAT (WR) 660

Stonewool mat with low binder content



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
30	8000	1000	6	18.15
40	6500	1000	6	20.70
50	4500	1000	6	26.00
60	4000	1000	6	30.95
80	3500	1000	6	38.70
100	2500	1000	6	46.45
120	2000	1000	6	52.10






Please email to Rob.langendam@owenscorning.com



MATS

PAROC® PRO LOOSE WOOL

Stone wool mat with low binder content



Thickness	Length	Width	MOQ	Price
mm	mm	mm	Pallet	€/m ²
80	3500	1000	6	27.90



Please email to Rob.langendam@owenscorning.com



CLAD-SYSTEM








PAROC® PRO SECTION (WR) 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 49):

PAROC® Clad Tape
PAROC® Pro Knife XTK001/003
PAROC® Pallet Hoods
PAROC® Clad Alu Tape



Need prices? Please email to Rob.langendam@owenscorning.com

Video PAROC®
Clad-System

CLAD-SYSTEM







PAROC® PRO COMBI (WR) 140 CLAD T

Prefabricated insulation component made of stonewool with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 49):

PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers



Need prices? Please email to Rob.langendam@owenscorning.com







CLAD-SYSTEM

PAROC® PRO BEND (WR) 140 CLAD

Prefabricated insulation component made of stonewool with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 49):
PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers



Need prices? Please email to Rob.langendam@owenscorning.com





CLAD-SYSTEM

PAROC® PRO SEGMENT (WR) 140 CLAD

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 49):
PAROC® Pro Knife XTK001/003
PAROC® CUI Spacers



Need prices? Please email to Rob.langendam@owenscorning.com

CLAD-SYSTEM


PAROC® PRO LAMELLA MAT (WR) CLAD

Stonewool lamella mat with UV-resistant, fibre reinforced aluminium coating



Accessories (pages 49):


PAROC® Clad Tape
PAROC® Clad Dots
PAROC® Head Pins Insulated
PAROC® Pro Knife XTK001/003
PAROC® Welding Device
PAROC® Pallet Hoods
PAROC® Pro Duct Wedge (WR)
PAROC® Galvanized Wire
PAROC® Spatula



~1000 °C




NON-COMBUSTIBLE



500 °C



50 kg/m³



20 - 100 mm



1000 mm



2400 - 10000 mm



MARKET LEADING
WATER REPELLENCY

Need prices? Please email to Rob.langendam@owenscorning.com

CLAD-SYSTEM ACCESSORIES

PAROC® CLAD DOTS

PAROC® Clad Dots are the optimal solution when it comes to cover pins' heads.



Application

- Fast, clean, generates a good looking, smooth, gapless and tight insulation surface. No risk of condensation. It is also very easy to lift the single dot from the release paper

Ø mm	Piece / roll	Rolls per box
90	100	6

PAROC® CLAD TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance.



Application

- Used amongst others for masking of Clad faced products. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC® Clad products.
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC® Clad Tape gives a great finish and safe installation

Length mm	Width mm	Rolls per box
10000	30	20
10000	50	12
10000	75	8
10000	100	6

PAROC® CLAD ALU TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance for pipe elbows



Application

- Used amongst others for masking elbows of Clad faced pipe sections. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC® Clad pipe sections
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC® Clad Tape gives a great finish and safe installation

Length m	Width mm	Rolls per box
50	50	12

PAROC® PRO DUCT WEDGE (WR)

Stone wool wedge plate with a gradient of at least 3%. The length measure corresponds to the longitudinal direction of the duct.



Thickness	Length	Width	m ² / Pal.	m ² / Pack
mm	mm	mm		
42/60	1200	600	34.56	
42/60	1200	600		4.32
25/60	600	1200	35.28	
25/60	600	1200		5.04
25/60	1200	600	35.28	
25/60	1200	600		5.04

OUTER DIAMETER FOR PIPE INSULATION: PIPE SECTIONS AND SEGMENTS

Inner diameter mm	Nominal insulation thickness, mm															
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160
mm	Outer diameter, mm															
12/15	52	62	72	92	115											
18	62	72	82	102	115	141										
22	62	72	82	102	128	141	167	180								
28	72	82	92	102	128	154	167	193								
35	72	82	92	115	141	154	180	193	219	232						
42	82	92	102	128	141	167	180	206	219	245						
48	92	102	115	128	154	167	193	206	232	245						
54	92	102	115	128	154	180	193	219	232	258						
57	102	102	115	141	154	180	193	219	232	258						
60	102	115	115	141	154	180	206	219	245	258						
64	102	115	128	141	167	180	206	219	245	258	284	310				
70	115	115	128	154	167	193	206	232	245	271	284	310				
76	115	128	141	154	180	193	219	232	258	271	297	310				
84			141	167	180	206	219	245	258	284	310	323				
89	128	141	154	167	193	206	232	245	271	284	310	323				
102	141	154	167	180	206	219	245	258	284	297	323	336				
108		154	167	193	206	232	245	271	284	310	323	349				
114		167	180	193	219	232	258	271	297	310	336	349				
121		167	180	206	219	245	258	284	297	323	336	362				
127		180	193	206	232	245	271	284	310	323	349	362				
133		180	193	219	232	258	271	297	310	336	349	375				
140		193	206	219	245	258	284	297	323	336	362	375				
156		206	219	232	258	271	297	310	336	362	375	401				
159		206	219	245	258	284	297	323	336	362	375	401				
168		219	232	245	271	284	310	323	349	362	388	414				
178		232	232	258	284	297	323	336	362	375	401	414				
194		245	258	271	297	310	336	349	375	388	414					
208			271	284	310	323	349	362	388	414	427					
219			284	297	323	336	362	375	401	414	440	453	479	505	518	544
230			284	310	336	349	375	388	414	427	453	466	492	505	531	544
240			297	323	336	362	375	401	414	440	466	479	505	518	544	557
245			310	323	349	362	388	401	427	440	466	479	505	531	544	570
259			323	336	362	375	401	414	440	453	479	505	518	544	557	583
273			336	349	375	388	414	427	453	479	492	518	531	557	570	596
289			349	375	388	414	427	453	466	492	505	531	544	570	583	609
295			349	375	401	414	440	453	479	492	518	531	557	570	596	609
305			362	388	401	427	440	466	479	505	531	544	570	583	609	622
324			388	401	427	440	466	479	505	518	544	570	583	609	622	648
356			414	440	453	479	492	518	531	557	570	596	622	635	661	674
371			427	453	466	492	505	531	557	570	596	609	635	648	674	687
377			440	453	479	492	518	531	557	583	596	622	635	661	674	700
406			466	492	505	531	544	570	583	609	622	648	661	687	700	726
426			492	505	531	544	570	583	609	622	648	661	687	700	726	752
457			518	531	557	583	596	622	635	661	674	700	713	739	752	778
479			544	557	583	596	622	635	661	674	700	713	739	765	778	804
490			544	570	596	609	635	648	674	687	713	726	752	765	791	804
508			570	583	609	622	648	674	687	713	726	752	765	791	804	830
533				609	635	648	674	687	713	739	752	778	791	817	830	856
558				635*	661	674	700	713	739	752	778	804	817	843	856	882
612				687*	713	726	752	778	791	817	830	856	869	895	908	934
630				713*	726	752	765	791	804	830	856	869	895	908	934	947
665				739*	765	791	804	830	843	869	882	908	921	947	960	986
714					817	830	856	869	895	908	934	960	973	999	1012	1038*
720					817	843	856	882	895	921	934	960	986	999	1025	1038*
762					856	882	908	921	947	960	986	999	1025	1038	1064*	1077*
813					908	934	947	973	999	1012	1038	1051	1077	1090	1116*	1129*
822					921	947	960	986	999	1025	1038	1064	1077	1103	1116	1142
914					1012	1038	1051	1077	1090	1116	1129	1155	1168	1194	1220	
1016							1155	1181	1194	1220						

Blank box - not made

414 Underlined - delivered hinged or halves (F1) according to request (F1 disallows AluCoat T)

427 Red - delivered only in halves (F1)

Not made with facings

Not made in 140 kg density

635* Red with asterisk - not made in WR 140 kg density

Boundary of selection available with facing AluCoat T

Boundary of selection available as Pro Lock

Disclaimer

The information relating to the products and systems contained in this communication ("Information") is accurate and reliable to the best of our knowledge as of its date issued and is subject to change without prior notice. No guarantee of accuracy is given or implied.

Since Paroc has no control over installation workmanship, accessory materials or conditions of application, no express or implied warranty of any kind, including those of merchantability or fitness for a particular purpose or course of performance or usage of trade, is made as to the performance of an installation containing Paroc products.

While the Information in this communication may relate to the technical application of certain Paroc products, it is in no event to be considered as technical advice on the basis of which Paroc may incur any liability.

User is solely responsible for determining whether a Paroc product is fit for a particular purpose and suitable for user's method of use or application.

Users of the provided Information assume full responsibility for all concept/design decisions made relating to the suitability of use.

Users must rely on their own judgment or that of a concept/design professional when determining how to best apply the data provided.

Users agree that Paroc is under no obligation to provide additional details, testing or test data on its behalf.

Liability of Paroc, if any, is strictly limited to replacement of product. In no event shall Paroc be liable for any other damages arising because of product failure, whether incidental, special, consequential or punitive, regardless of the theory of liability upon which any such damages are claimed.

Applications: April 2025

1023TIBE0225

© Paroc 2025

